NHS Greater Glasgow and Clyde: New Medicines Decisions

In Scotland, a newly licensed medicine is routinely available in a health board only after it has been:

- accepted for use in NHSScotland by the Scottish Medicines Consortium (SMC), and
- accepted for use by the health board's Area Drug and Therapeutics Committee (ADTC).

All medicines accepted by SMC are available in Scotland, but may not be considered 'routinely available' within NHS Greater Glasgow and Clyde (NHSGG&C) because of available services and preferences for alternative medicines.

'Routinely available' means that a medicine can be prescribed by the appropriately qualified person within a health board.

Each health board has an ADTC. The Greater Glasgow and Clyde ADTC is responsible for advising the NHSGG&C health board on all aspects of the use of medicines.

Medicines routinely available within NHSGG&C are usually included in the GGC Formulary. The Formulary is a list of medicines for use in the health board that has been agreed by ADTC in consultation with local clinical experts. It offers a choice of medicines for healthcare professionals to prescribe for common medical conditions. The GGC Formulary can help improve safety as prescribers are likely to become more familiar with the medicines in it and also helps make sure that standards of care are consistent across the health board.

How does NHSGG&C decide which new medicines to make routinely available for patients?

The ADTC in NHSGG&C will consider national and local guidance before deciding whether to make a new medicine routinely available.

What national guidance does the ADTC consider?

- SMC advice: The SMC considers newly licensed medicines and advises health boards in Scotland whether they should be available. When SMC considers a new medicine for the NHS in Scotland, it looks at:
 - how well the medicine works.
 - o which patients might benefit from it,
 - o whether it is as good or better than medicines the NHS already uses to treat the medical condition, and
 - whether it is good value for money.
- In the table below, national guidance usually refers to SMC advice. Links to SMC advice for individual medicines are also included in the table.
- In some cases, other agencies may also provide guidance on how medicines should be used. For example, Healthcare Improvement Scotland issues alerts to advise if National Institute for Health and Care Excellence Multiple Technology Appraisals (NICE MTAs) are applicable in Scotland.

What local guidance does the ADTC consider?

Advice from local clinical experts who would be expected to prescribe a particular medicine, where that service is available in NHSGG&C.

Why is a particular medicine not routinely available in NHSGGC?

- This is usually because the medicine is not recommended for use in NHSScotland by the SMC.
- The medicine may not be routinely available in a health board, particularly in smaller health boards, because there is not a suitable specialist who may use the medicine.
- There may also be differences in which medicines are preferred in health boards. Sometimes SMC accepts more than one medicine for treating a specific medical condition. Clinical experts in each health board consider whether to add new medicines to their formulary and advise the ADTC. Sometimes it is agreed that established medicines are a better choice than new medicines.

What happens if a particular medicine is not routinely available in NHSGG&C?

If a medicine is not routinely available and included in the GGC Formulary and there are no suitable alternatives on the formulary, a healthcare professional can request to prescribe a medicine that is not on the formulary if they think you will benefit from using it. NHSGG&C and all health boards have procedures in place to consider requests when a healthcare professional feels a medicine that is not on the formulary would be right for a particular patient.

The table below lists NHS Greater Glasgow and Clyde's decisions on new medicines.

If you need more information on medicines decisions in NHS Greater Glasgow and Clyde, please email ggc.medicines@ggc.scot.nhs.uk

Medicine	Condition being treated	NHSGGC Decision	Date of decision

05 March 2018 Page 1 of 7

5-aminolaevulinic acid (as hydrochloride)	Treatment of superficial and / or nodular basal cell carcinoma (BCC) unsuitable for surgical treatment	Routinely available in line with national guidance	26/02/2018
gel	due to possible treatment-related morbidity and / o poor cosmetic outcome in adults.		
Ameluz®	poor cosmetic outcome in addits.		
1260/17			
	http://www.scottishmedicines.org.uk/files/advice/5-aminolaevulinic ac	id Ameluz Resubmission FINAL Jan 0218 for website.p	<u>df</u>
Adalimumab	Treatment of paediatric chronic non-infectious	Not routinely available as not	26/02/2018
subcutaneous injection	anterior uveitis in patients from 2 years of age who have had an inadequate response to or are	recommended for use in NHSScotland	
Humira®	intolerant to conventional therapy, or in whom conventional therapy is inappropriate.	THE COOK AND THE CONTRACT OF T	
1305/18	comenia merapy to mapped production		
	http://www.scottishmedicines.org.uk/files/advice/adalimumab_Humira	Non_Sub_FINAL_Dec_2017_for_website.pdf	
Baricitinib	Treatment of moderate to severe active	Routinely available in line with local	26/02/2018
tablets	rheumatoid arthritis (RA) in adult patients who have responded inadequately to, or who are	or regional guidance	
Olumiant®	intolerant to one or more disease-modifying anti- rheumatic drugs (DMARDs). Baricitinib may be		
1265/17	used as monotherapy or in combination with methotrexate.		
	http://www.scottishmedicines.org.uk/files/advice/baricitinib_Olumiant	FINAL_August_2017_Amended_03.09.16_for_website.pdf	
Carbetocin	For the prevention of uterine atony following	Not routinely available as not	26/02/2018
injection	delivery of the infant by Caesarean section under epidural or spinal anaesthesia	recommended for use in NHSScotland	
Pabal®	opidara or opinar anacomosia	14 10000 lidina	

http://www.scottishmedicines.org.uk/files/advice/carbetocin Pabal FINAL Dec 2017 for website.pdf

309/06

05 March 2018 Page 2 of 7

Medicine	Condition being treated	NHSGGC Decision	Date of decision
Ceftaroline fosamil	treatment of:	Not routinely available as not	26/02/2018
infusion	 complicated skin and soft tissue infections in children from the age of 2 months 	recommended for use in NHSScotland	
Zinforo®	- community-acquired pneumonia in children from the age of 2 months		
1306/18			
	http://www.scottishmedicines.org.uk/files/advice/ceftaroline_fosamil_2		
Ceftazadime with Avibactam	Treatment of the following infections in adults: 1) complicated intra-abdominal Infection (cIAI); 2)	Not routinely available as not recommended for use in	26/02/2018
Infusion	complicated urinary tract infection (cUTI), including	NHSScotland	
Zavicefta	pyelonephritis; 3) hospital-acquired pneumonia		
1307/18	(HAP), including ventilator-associated pneumonia (VAP); 4) infections due to aerobic Gram-negative organisms in adult patients with limited treatment options		
	http://www.scottishmedicines.org.uk/files/advice/ceftazidime_avibacta	m Zavicefta Non Sub FINAL Dec 2017 for web	osite.pdf
Cladribine	Treatment of adult patients with highly active	Routinely available in line with local	26/02/2018
tablet	relapsing multiple sclerosis (MS) as defined by clinical or imaging features.	or regional guidance	
Mavenclad®	3 3		
1300/18			
	http://www.scottishmedicines.org.uk/files/advice/cladribine_Mavencla	d FINAL Jan 2018 Amended 07.02.18 for website	.pdf
Daptomycin	Treatment of paediatric (1 to 17 years of age)	Not routinely available as not	26/02/2018
injection, infusion	patients with Staphylococcus aureus bacteraemia associated with complicated skin and soft-tissue	recommended for use in NHSScotland	
Cubicin®	infections.		
1309/18			
	http://www.scottishmedicines.org.uk/files/advice/daptomicin_Cubicin_	Non_Sub_FINAL_Jan_2018_for_website.pdf	

05 March 2018 Page 3 of 7

Medicine	Condition being treated	NHSGGC Decision	Date of decision
Daranavir, Cobicistat, Emtricitabine, Tenofovir tablets	the treatment of human immunodeficiency virus type 1 (HIV-1) infection in adults and adolescents (aged 12 years and older with body weight at least 40kg).	Routinely available in line with national guidance	26/02/2018
Symtuza®	+0ng).		
1290/18			
	http://www.scottishmedicines.org.uk/files/advice/darunavir Symtuza	Abbreviated FINAL Dec 2017 for website.pdf	
Desmopressin oral lyophilisate	Symptomatic treatment of nocturia due to idiopathic nocturnal polyuria in adults.	Routinely available in line with local or regional guidance	26/02/2018
Noqdirna®			
1218/17			
	http://www.scottishmedicines.org.uk/files/advice/desmopressin_Noqd	irna Resubmission FINAL July 2017 for website.pd	<u>df</u>
Eluxadoline tablets	in adults for the treatment of irritable bowel syndrome with diarrhoea (IBS-D).	Not routinely available as not recommended for use in NHSScotland	26/02/2018
Truberzi®		Wildestiand	
1292/18			
	http://www.scottishmedicines.org.uk/files/advice/eluxadoline_Truberz	i_FINAL_Dec_2017_Amended_14.12.17_for_website.	.pdf
Elvitegravir, Cobicistat, Emtricitabine, Tenofovir tablets	Treatment of HIV-1 infection in adolescents aged 12 to <18 years weighing ≥35kg who are infected with HIV-1 without known mutations associated with resistance to any of the three antiretroviral	Not routinely available as not recommended for use in NHSScotland	26/02/2018
Stribild ®	agents in Stribild • and who have experienced toxicities which preclude the use of other regimens		
1310/18	that do not contain tenofovir disoproxil fumarate. http://www.scottishmedicines.org.uk/files/advice/elvit_cobic_emtric_S	tribild_Non_Sub_FINAL_Jan_2018_with_website.pdf	

05 March 2018 Page 4 of 7

Medicine	Condition being treated	NHSGGC Decision	Date of decision
Fluticasone, Umeclidinium, Vilanterol inhalation powder Trelegy® Ellipta®	Maintenance treatment in adult patients with moderate to severe chronic obstructive pulmonary disease (COPD) who are not adequately treated by a combination of an inhaled corticosteroid and a long-acting β2-agonist.	Routinely available in line with national guidance	26/02/2018
1303/18			
Levonorgestrel	http://www.scottishmedicines.org.uk/files/advice/fluticasone furoate Contraception for up to 5 years.	Trelegy Ellipta Abbreviated FINAL Jan 2018 for Routinely available in line with	website.pdf 26/02/2018
intrauterine delivery system	Contracoption for up to a years.	national guidance	20,02,2010
Kyleena®			
1299/18			
	http://www.scottishmedicines.org.uk/files/advice/levonorgestrel_Kylee	na_FINAL_Jan_2018_for_website.pdf	
Metformin	Reduction in the risk or delay of the onset of type 2 diabetes mellitus in adult, overweight patients with	Not routinely available as not recommended for use in	26/02/2018
MR tablets	impaired glucose tolerance and/or impaired fasting	NHSScotland	
Glucophage SR®	glucose, and/or increased HbA1C who are: - at high risk for developing overt type 2 diabetes		
1308/18	mellitus and - still progressing towards type 2 diabetes mellitus despite implementation of intensive lifestyle change for 3 to 6 months.		
	http://www.scottishmedicines.org.uk/files/advice/metformin_hydrochlo	oride Glucophage Non Sub FINAL Dec 2017 fo	or_website.pdf
Nivolumab	Nivolumab as monotherapy is indicated for the	Not routinely available as not	26/02/2018
infusion	treatment of locally advanced unresectable or metastatic urothelial carcinoma in adults after	recommended for use in NHSScotland	
Opdivo®	failure of prior platinum-containing therapy.		
1285/18			
	http://www.scottishmedicines.org.uk/files/advice/nivolumab_Opvido_F	FINAL_Dec_2017_for_website.pdf	

05 March 2018 Page 5 of 7

Medicine	Condition being treated	NHSGGC Decision	Date of decision
Obinutuzumab infusion	Obinutuzumab in combination with chemotherapy, followed by obinutuzumab maintenance therapy in	Not routinely available as not recommended for use in	26/02/2018
Gazyvaro®	patients achieving a response, for the treatment of patients with previously untreated advanced follicular lymphoma.	NHSScotland	
1286/18	,		
	http://www.scottishmedicines.org.uk/files/advice/obinutuzumab_Gazy	varo_FINAL_Dec 2018_Amended_14.12.17_for_we	<u>bsite.pdf</u>
Pasireotide injection	Treatment of adult patients with Cushing's disease for whom surgery is not an option or for whom surgery has failed.	Not routinely available as not recommended for use in NHSScotland	26/02/2018
Signifor®	surgery has railed.	NI IOOCUIIANU	
1311/18			
	http://www.scottishmedicines.org.uk/files/advice/pasireotide Signifor	Non Sub FINAL Jan 2018 for website.pdf	
Peginterferon alfa-2a	Treatment of hepatitis B envelope antigen	Not routinely available as not	26/02/2018
injection	(HBeAg)-positive chronic hepatitis B in non- cirrhotic children and adolescents 3 years of age	recommended for use in NHSScotland	
Pegasys®	and older with evidence of viral replication and persistently elevated serum ALT levels.		
1312/18	•		
	http://www.scottishmedicines.org.uk/files/advice/peginterferon_alfa-2a	a_Pegasys_Non_Sub_FINAL_Jan_2018_for_website	.pdf
Pembrolizumab	Monotherapy for the treatment of locally advanced	Routinely available in line with local	26/02/2018
infusion	or metastatic urothelial carcinoma in adults who have received prior platinum-containing	or regional guidance	
Keytruda®	chemotherapy.		
1291/18			
	http://www.scottishmedicines.org.uk/files/advice/pembrolizumab_Key	truda_FINAL_Jan_2018_for_website.pdf	

05 March 2018 Page 6 of 7

Medicine	Condition being treated	NHSGGC Decision	Date of decision
Tofacitinib	In combination with methotrexate for the treatment	•	26/02/2018
tablets	of moderate to severe active rheumatoid arthritis in adult patients who have responded inadequately	or regional guidance	
Xeljanz®	to, or who are intolerant to one or more DMARDs. Tofacitinib can be given as monotherapy in case of		
1298/18	intolerance to methotrexate or when treatment with methotrexate is inappropriate.		
	http://www.scottishmedicines.org.uk/files/advice/tofacitinib_Xeljanz_F	INAL_Jan_2018_Amended_05.02.17_for_website.p	<u>df</u>

05 March 2018 Page 7 of 7